

# PROCESSING SAP WITH GEORGIA ENHANCEMENTS

*Georgia Summit 2014*

*Janette Roszell, Georgia Gwinnett College*

# AGENDA

- Policy
- Set up
- Process
- Review
- Benefits of the Georgia Enhancement vs. Baseline
- Q & A



# POLICY

- First and foremost...know your institutional policy
  - GPA component; institutional? Overall?
  - PACE component; institutional? Transfer?
  - Preparatory coursework / EAP
  - Repeat coursework
  - Timing of evaluation
  - Same, or stricter than, institutional academic policy
- Federally defined status
  - Warning
  - Probation
  - Suspension



The left side of the slide features a series of vertical stripes in various shades of blue and grey. Overlaid on these stripes are several teal-colored circles of different sizes, arranged in a cluster that tapers towards the bottom.

## SET UP

*As with any banner process, you must first set up the background tables / forms*

# ZTVSGRP

- Establish your SAP groups. You need a group for each set of SAP rules you use. So, if all of your bachelor's degrees have the same program length, then you can group them all together. If you have bachelors and associates, and graduate degrees, you would need at least three groups. You'll need one group for each program length at a minimum.

Code	Description	Code Active	Code Default	Priority	Activity Date
BACH	Bachelor Degree Seeking Studen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	10	29-NOV-2010
DEFAULT	Default	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	100	05-JUN-2012
		<input type="checkbox"/>	<input type="checkbox"/>		
		<input type="checkbox"/>	<input type="checkbox"/>		
		<input type="checkbox"/>	<input type="checkbox"/>		
		<input type="checkbox"/>	<input type="checkbox"/>		
		<input type="checkbox"/>	<input type="checkbox"/>		
		<input type="checkbox"/>	<input type="checkbox"/>		
		<input type="checkbox"/>	<input type="checkbox"/>		
		<input type="checkbox"/>	<input type="checkbox"/>		
		<input type="checkbox"/>	<input type="checkbox"/>		
		<input type="checkbox"/>	<input type="checkbox"/>		
		<input type="checkbox"/>	<input type="checkbox"/>		
		<input type="checkbox"/>	<input type="checkbox"/>		
		<input type="checkbox"/>	<input type="checkbox"/>		
		<input type="checkbox"/>	<input type="checkbox"/>		
		<input type="checkbox"/>	<input type="checkbox"/>		
		<input type="checkbox"/>	<input type="checkbox"/>		
		<input type="checkbox"/>	<input type="checkbox"/>		



# RTVSAPR

- Baseline form to establish (or make note of) your SAP status codes and what they mean.

Oracle Fusion Middleware Forms Services: Open > RTVSAPR

File Edit Options Block Item Record Query Tools Help

Satisfactory Academic Progress Validation RTVSAPR 8.6 (B400T)

SAP Status	Description	Priority	Code Active	Prevent Packaging	Prevent Disbursement	Which Aid	Letter	Message Number
A	Appeal Granted	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	None		3333
W	Financial Aid Warning	10	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	None	FA_SAP_WARN	3333
D	Fails All Academic Req.	20	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	All Aid	FA_SAP_SUSP	3333
R	Reviewed Making Good Progress	30	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	None		3333
P	Financial Aid Probation	80	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	None	FA_SAP_PROB	3333
AD	SAP Appeal Denied	90	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	All Aid		3333
DEFAULT	ZORSAPR RULE FAILED	100	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	All Aid		
NR	SAP not Required	105	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	None		
NOATND	Did not attend Warn/Prob term	110	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	None		
B	Financial Aid Probation 2nd		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	All Aid		
N	Not Making Satisfactory Prog		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	All Aid		
X	Not Yet Reviewed		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	All Aid		
		1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	None		
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			

# ZORSAPR

Establish your SAP rules.

- Complete the grid for each SAP Group with the pace and GPA requirements. If you have a graduated GPA scale (like GGC), this form makes it really, really easy for you to set that up.
- Note* – you must have the same start and end hours on the pace portion as you do the GPA portion of the form even if all your students must meet the same Pace requirement.

Oracle Fusion Middleware Forms Services: Open > ZORSAPR

File Edit Options Block Item Record Query Tools Help

SAP GROUP RULES FORM ZORSAPR 8.0 (B400T)

Group Code:  Bachelor Degree Seeking Studen

---

**Quantitative Ratio**

Attmp Hrs:	Start	End	% Earned Hrs	Date
	<input type="text" value="0"/>	<input type="text" value="15"/>	<input type="text" value="67"/>	<input type="text" value="10-FEB-2009"/>
	<input type="text" value="16"/>	<input type="text" value="30"/>	<input type="text" value="67"/>	<input type="text" value="10-FEB-2009"/>
	<input type="text" value="31"/>	<input type="text" value="45"/>	<input type="text" value="67"/>	<input type="text" value="10-FEB-2009"/>
	<input type="text" value="46"/>	<input type="text" value="184"/>	<input type="text" value="67"/>	<input type="text" value="10-FEB-2009"/>
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

---

**Qualitative Ratio**

Attmp Hrs:	Start	End	Min GPA	Date
	<input type="text" value="0"/>	<input type="text" value="15"/>	<input type="text" value="1.50"/>	<input type="text" value="10-FEB-2009"/>
	<input type="text" value="16"/>	<input type="text" value="30"/>	<input type="text" value="1.60"/>	<input type="text" value="10-FEB-2009"/>
	<input type="text" value="31"/>	<input type="text" value="45"/>	<input type="text" value="1.80"/>	<input type="text" value="10-FEB-2009"/>
	<input type="text" value="46"/>	<input type="text" value="184"/>	<input type="text" value="2.00"/>	<input type="text" value="10-FEB-2009"/>
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Attempted Hours Range Start.

Record: 5/5 | | ... | | <OSC>

# ZORRULE

- Establish the rules for your SAP groups – write the rules to assign students to their SAP groups.
- ZORRULE mimics the RORRULE form and functions in the same manner.

## Simple Mode

The screenshot displays the 'Financial Aid Selection Rules Form' for ZORRULE 8.32.1 (B400T) in Simple Mode. The form is titled 'Oracle Fusion Middleware Forms Services: Open > ZORRULE' and includes a menu bar (File, Edit, Options, Block, Item, Record, Query, Tools, Help) and a toolbar. The configuration section includes:

- Rule Type:** S=Satisfactory Academic Progress
- Aid Year:** 1415 (Fall 2014, Spr 2015, Sum 2015)
- SAP Code:** BACH (Bachelor Degree Seeking Studen)
- Fund Code:** (empty)
- Active:** ☒

A 'Rule Active' checkbox is also present. The 'Selection Criteria' section features a table with columns for 'Table Name', 'Column Name', 'Operator', and 'Value', separated by 'AND/OR'.

Table Name	Column Name	Operator	Value
ROVST15	LEVL_CODE	=	'US'
ROVST15	DEGC_CODE_1	LIKE	'B%'
ROVST15	DEGC_CODE_1	LIKE	'00%'
ROVST15	ADMT_CODE	NOT IN	('AU','DE','JE','MR','ND','PB','TN','ZZ')
ROVST15	ADMT_CODE	NOT LIKE	'1%'

A 'Copy To' button is located at the bottom left of the form.



# MORE ZORRULE

- ROVSTxx (aid year specific view) allows you to query the most current student data without the use of complicated SQL statements; however, it must be annually updated.

- Expert Mode

Oracle Fusion Middleware Forms Services: Open > ZORRULE

File Edit Options Block Item Record Query Tools Help

Financial Aid Selection Rules Form ZORRULE 8.32.1 (B400T)

Rule Type: S=Satisfactory Academic Progress

Aid Year: 1415 Fall 2014, Spr 2015, Sum 2015

SAP Code: BACH Bachelor Degree Seeking Studen

Fund Code:

Compiled and Expert SQL ZORRULE 8.32.1 (B400T)

☒ Rule Active

Table: Column: Op

```
SELECT DISTINCT(ROVST15_PIDM)
FROM ROVST15
WHERE ROVST15_LEVL_CODE = 'US'
AND (ROVST15_DEGC_CODE_1 LIKE 'B%'
OR ROVST15_DEGC_CODE_1 LIKE '00%')
AND (ROVST15_ADMT_CODE NOT IN ('AU','DE','JE','MR','ND','PB','TN','ZZ'))
AND ROVST15_ADMT_CODE NOT LIKE '1%'
AND ROVST15_PIDM = :PIDM
AND ROVST15_AIDY_CODE = :AIDY
```

Copy To

# ZHASGRD

- Set up the rules for each grade code used by your institution.
- If you can get an extract of your school's current SHAGRDE table, this will be easier. I try to check this at least once a year to make sure there are no newly added grade codes.
- The ZHASGRD table does not impact processing by the registrar in any way. It is solely for use the FA office while processing SAP with the GA Mod process.

Oracle Fusion Middleware Forms Services: Open > ZHASGRD

File Edit Options Block Item Record Query Tools Help

SAP Alternative Grade Code Form ZHASGRD 8.0 (B400T)

Lvl	Grade Code	Abbrev	Term	Stat	Quality Points	Count IN				Activity Date
						Att	Earn	GPA	Oth	
US	A	A	000000	A	4.00	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	24-JAN-2008
US	A%	A-LS	000000	A	4.00	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10-FEB-2009
US	A%T	A-LS TR	000000	A	4.00	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10-FEB-2009
US	A*T	A-CPCTR	000000	A	4.00	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	09-JUL-2010
US	AT	ATRANS	000000	A	4.00	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13-FEB-2009
US	AU	AUDIT	000000	A	.00	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24-JAN-2008
US	B	B	000000	A	3.00	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	24-JAN-2008
US	B%	B-LS	000000	A	3.00	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10-FEB-2009
US	B%T	B-LS TR	000000	A	3.00	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10-FEB-2009
US	B*T	B-CPCTR	000000	A	3.00	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	09-JUL-2010
US	BT	BTRANS	000000	A	3.00	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13-FEB-2009
US	C	C	000000	A	2.00	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	24-JAN-2008
US	C%	C-LS	000000	A	2.00	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10-FEB-2009
US	C%T	C-LS TR	000000	A	2.00	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10-FEB-2009
US	C*T	C-CPCTR	000000	A	2.00	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	09-JUL-2010
US	CT	CTRANS	000000	A	2.00	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13-FEB-2009
US	D	D	000000	A	1.00	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	24-JAN-2008
US	D%	D-LS	000000	A	1.00	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10-FEB-2009
US	D%T	D-LS TR	000000	A	1.00	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10-FEB-2009
US	D*T	D-CPCTR	000000	A	1.00	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	09-JUL-2010



## PROCESS

*Assign the students to the appropriate SAP group and evaluate the correct SAP status for the process term.*

# ZOBSGRP

The screenshot shows the Oracle Fusion Middleware Forms Services window for the ZOBSGRP process. The window title is "Oracle Fusion Middleware Forms Services: Open > GJAPCTL". The menu bar includes File, Edit, Options, Block, Item, Record, Query, Tools, and Help. The toolbar contains various icons for navigation and editing. The main form area is titled "Process Submission Controls GJAPCTL 8.3.0.2 (B400T)". It includes a "Process:" dropdown set to "ZOBSGRP" and a "SAP Group Assignment" text field. The "Parameter Set:" dropdown is set to "1314IND". Below this is a "Printer Control" section with a "Printer:" dropdown set to "DATABASE", a "Special Print:" text field, a "Lines:" field set to "60", and a "Submit Time:" field. The "Parameter Values" section contains a table with columns "Number", "Parameters", and "Values". The table has 7 rows, with the first three rows containing data. Below the table is a note: "LENGTH: 4 TYPE: Character O/R: Required M/S: Single Aid year of applicants to process." The "Submission" section at the bottom includes a "Save Parameter Set as" checkbox, a "Name:" text field, a "Description:" text field, a "Hold" radio button, and a "Submit" radio button.

Number	Parameters	Values
01	Financial Aid year code	1314
02	Term Code	201308
03	Student Id	900018675
04	Application Code	
05	Selection Identifier	
06	Creator Id	
07	User ID	

- This can be run for an individual or a group.
- Will create a ZOASAPR record for everyone – those who have a ROASTAT record and those who do not.
- Assigns SAP group based on the rules on ZORRULE.

# ZOBSAPR

## ○ General notes...

- This can be run for an individual or group.
- Version specific; creation of ROASTAT vs. not
- 8.35 adds repeat coursework functionality and the ability to choose if the process will run for those without a ROASTAT record
- Careful! Watch the aid year...




# ZOBSAPR PARAMETERS

1. **Aid year** – if running 8.34 or older, make sure you use the year that most of the students in your population will have an established ROASTAT record
  2. **Process term code** – this should match the term used for the group process in ZOBSGRP
  3. **Count all Learning support** – answer will depend on your SAP policy
  4. **LS Hours to exclude** – answer will depend on your SAP policy. GGC excludes 30.
  5. **Count Transfer credit** – answer will depend on your SAP policy.
  6. **New Freshman code** – SGASTDN code that indicates a student is a new freshman. The software assumes these students have zero credits. You can have more than one of these. GGC has 2 – new freshman and freshman w/ transfer credit.
  7. **Transfer Student Code** – SGASTDN code that indicates a student is a new transfer student.
  8. **Making Progress Code** – from RTVSAPR
  9. **Undetermined code** – from RTVSAPR – we use DEFAULT for this to indicate something went awry with the process.
  10. **Warning code** – from RTVSAPR
  11. **Probation code** – from RTVSAPR
- Use one or the other of these – either warning OR probation. The user docs indicate that probation is for schools that use a 2<sup>nd</sup> 'warning' term, which is a throwback to pre-2011 SAP rules.*



# MORE ZOBSAPR PARAMETERS

- 12. **Suspend code** – from RTVSAPR
- 13. **Appeal code** – for granted appeals. The process ignores these students and keeps their status as A.
- 14. **Applicant ID** – used if processing a single student
- 15. **Application Code** – used if processing via population selection. Enter application code for the population selection you are using.
- 16. **Selection Identifier** – name of your population selection
- 17. **Creator ID** – creator ID for your population selection
- 18. **User ID** – user ID for your population selection
- 19. **Run Mode** – choices are audit or update. I ALWAYS run end of term SAP on audit mode first. You can import the .lis file into Excel and check for any issues.
- 20. **Process Enrolled Only (Y/N)** – institutional choice. We used to select NO on this because we only checked SAP once each year and if the student wasn't enrolled for spring, the student still needed SAP checked. However, now, GGC checks SAP at the end of each term, so I have it set to yes usually. If I was running end of term SAP without a population selection, I would set this to Y now that we are checking SAP each term so that only those students who were enrolled are checked.
- 21. **Effective RORSAPR Term code** – enter the term you want updated on ROASTAT. So, at the end of fall term, my RORSAPR effective term is spring. At the end of spring, I run it twice – first with an effective term of fall and then, for those enrolled for summer, with an effective term of summer.



# NEW 8.35 ZOBSAPR PARAMETERS

- 22. **RORSTAT record on file** – allows you to choose if the process will run for those without a ROASTAT record for the aid year in parameter one.
- 23. **Count all repeat course HOURS** – allows you to choose if repeated courses will count as earned hours.
- 24. **Count all repeat course GRADES**– allows you to choose if repeated courses will count in the GPA.





The left side of the slide features a series of vertical stripes in various shades of blue and grey. Overlaid on these stripes are several teal-colored circles of different sizes, arranged in a cluster that tapers towards the bottom.

# REVIEW

*Catching those the process does not...*

# CLEANING UP OUR *'SPECIAL FRIENDS'*



- Appeal Granted Code
  - Must be manually reviewed as it is skipped in process.
- Undetermined status
  - At GGC we use 'DEFAULT'; rules fail for this group.
- Not meeting SAP after probation
  - GGC catches this group with a population selection and updates SAP status via batch post.
- Those who did not attend warning / probation term
  - If you check SAP each term, process only those who are enrolled.



# REVIEW RESULTS

- ZOASAPR – GA mod SAP screen that allows you to see SAP status by term, SAP group and the result of the SAP process

## Satisfactory Academic Progress Report Detail

Term	Group	Attempt Hrs	Earned Hrs	GPA	Max Hrs	User Id	Date
<input type="text" value="201408"/>	<input type="text" value="BACH"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="JROSZELL"/>	<input type="text" value="02-APR-2014"/>
<input type="text" value="201402"/>	<input type="text" value="BACH"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="JROSZELL"/>	<input type="text" value="18-DEC-2013"/>
<input type="text" value="201308"/>	<input type="text" value="BACH"/>	<input type="text" value="51.00"/>	<input type="text" value="35.00"/>	<input type="text" value="2.46"/>	<input type="text" value="184"/>	<input type="text" value="JROSZELL"/>	<input type="text" value="18-DEC-2013"/>
<input type="text" value="201305"/>	<input type="text" value="BACH"/>	<input type="text" value="38.00"/>	<input type="text" value="22.00"/>	<input type="text" value="1.96"/>	<input type="text" value="184"/>	<input type="text" value="JROSZELL"/>	<input type="text" value="30-JUL-2013"/>
<input type="text" value="201302"/>	<input type="text" value="BACH"/>	<input type="text" value="31.00"/>	<input type="text" value="19.00"/>	<input type="text" value="1.48"/>	<input type="text" value="184"/>	<input type="text" value="JROSZELL"/>	<input type="text" value="10-MAY-2013"/>
<input type="text" value="201208"/>	<input type="text" value="BACH"/>	<input type="text" value="15.00"/>	<input type="text" value="3.00"/>	<input type="text" value="1.29"/>	<input type="text" value="184"/>	<input type="text" value="JROSZELL"/>	<input type="text" value="20-DEC-2012"/>

SAP  
Calculation by  
Term

Process Message:

## Satisfactory Academic Progress

Term	Code	Description	Date
<input type="text" value="201402"/>	<input type="text" value="R"/>	Reviewed Making Good Progress	<input type="text" value="18-DEC-2013"/>
<input type="text" value="201308"/>	<input type="text" value="P"/>	Financial Aid Probation	<input type="text" value="01-AUG-2013"/>
<input type="text" value="201305"/>	<input type="text" value="D"/>	Fails All Academic Req.	<input type="text" value="10-MAY-2013"/>
<input type="text" value="201302"/>	<input type="text" value="W"/>	Financial Aid Warning	<input type="text" value="20-DEC-2012"/>
<input type="text" value="201208"/>	<input type="text" value="R"/>	Reviewed Making Good Progress	<input type="text" value="08-AUG-2012"/>
<input type="text"/>	<input type="text"/>		<input type="text"/>

SAP Status  
History by Term

# REVIEW RESULTS *(CONTD.)*

- ROASTAT – Banner baseline screen that allows you to see SAP status by term.

Applicant Status	Period Status	Eligibility Status
------------------	---------------	--------------------

---

### Satisfactory Academic Progress

Term	Calculated SAP Status	New SAP Status	Lock Indicator	User ID	Activity Date	Calculation	New
▼	▼	▼					
201402		R	<input type="checkbox"/>	JROSZELL	18-DEC-2013		Reviewed Making Good Prog
201308		P	<input checked="" type="checkbox"/>	LSTARLIN	01-AUG-2013		Financial Aid Probation
201305		D	<input type="checkbox"/>	JROSZELL	10-MAY-2013		Fails All Academic Req.
201302		W	<input type="checkbox"/>	JROSZELL	20-DEC-2012		Financial Aid Warning

---

### Admissions Status Detail

Term	Level	Decision	Significant Decision	Institution Acceptance	Student Acceptance	Inactive Application
▼						
201208	US Undergraduate Semester Sy	AF Admit Final	Y	Y	Y	

The left side of the slide features a series of vertical stripes in shades of blue and grey. Overlaid on these stripes are several teal-colored circles of varying sizes, arranged in a cluster that tapers towards the bottom.

## BENEFITS OF THE GEORGIA ENHANCEMENT VS. BASELINE

*Why my toys are better than yours...*

# BENEFITS



- GA Mod makes rule set up fairly easy.
  - Even with complex student populations, if you can determine which group a student should belong to using a simple or complex SQL rule in banner, you can set up the process to work for your population.
- GA Mod prevents some common SAP errors.
  - All Pace and GPA calculations should be cumulative. Some homegrown systems that have become notorious in recent years were able to be modified so that the calculations were term specific rather than looking at a student's full record. The GA mod cannot be set up that way, so you avoid those pitfalls.
- GA mod has ZOASAPR
  - Track a student's actual SAP calculation across time rather than just their status.
  - It gives you the attempted, earned, and GPA calculation as well as the max timeframe for that individual student by term.
  - The fields are static, stored values, which means they can be used for rules and population selections within Banner. GPA in the student tables is a calculated value, just like enrolled hours, so it is difficult to query against.



A decorative vertical bar on the left side of the slide consists of several thin, vertical lines in shades of blue and grey, accompanied by a series of blue circles of varying sizes.

# Q & A

*Janette Roszell*

*Financial Aid Data Manager*

*[jroszell@ggc.edu](mailto:jroszell@ggc.edu)*